Tru-VEND® Vending Machines





Izmir Ataturk Industrial Zone


M. Kemal Ataturk Blv. 23–25, Cigli 35620,

Izmir, **Turkey**

Tel: +90 232 376 7300 | Fax: +90 232 376 7030 www.elektral.com.tr | elektral@elektral.com.tr

Machines /ending











Maxi-Buffet®


The Maxi-Buffet® is a high-capacity full-view glass-front combination vending machine which can dispense snacks and cold drinks at different temperature zones. It's robust built is designed to withstand various conditions ranging from crowded train-stations to the hot tropical climates. Ideal vending machine for crowded international airports, metro, or bus stations, universities, colleges and other public places.

- Standard 6 trays / 54 selections / 496 products
- 16 bit high–quality microprocessor
- Double–Glazed Low–E glass front
- MDB/Executive protocol for payment systems can be equipped with cashless payment systems, Change Giver, Bill Validator and/or Coin Selector or combinations.
- Capacitive–touch keypad
- Anti–vandalism coin–entry slot
- Easy-to-use graphical LCD display
- Plastic product pushers (even small items can be vend easily)
- IR product sensors to control delivery
- Double–level alarm against vandalism and unauthorised access to front door
- Ultra–cool (+3 °C) slide–in refrigeration unit available

Product Code: 869755498223 Dimensions: 96 X 79 X 180 cms Net Weight: 270 Kqs









LCD Interactive graphical LCD

Dust–resistant capacitive touch keypad

Modular front-plate

Bill Validator

Anti–vandalism stainless steel coin slot

O Double–glazed low–E glass front

Change Giver

S Coin-return chute

(R sensors to ensure product delivery

Self–locking compartment to prevent thefts

Double-stage alarm

Ultra high (+3° C) refrigeration

Maxi-Buffet®





Maxi-Kafe





Maxi-Kafe®

The Maxi–Kafe® is a high capacity instant coffee vending machine, offering 18 hot drinks by Direct Selection for large offices or workplaces.

The enhanced model of Maxi–Kafe[®] is highly preferred and appreciated by operators from different countries. Easy to use, reliable and powerful Maxi–Kafe[®] will provide an increase of your vending operations. It has been manufactured to meet the requirements of operators and customers. Maxi Kafe[®] comprises of the following:

- Supports EVA DTS, Executive and MDB protocols can be equipped with Coin Selectors, Change Givers, Bill Validators, Cashless Payments Systems and Credit Cards.
- Easy user interface with Graphical LCD display
- 32 bit high performance ARM microprocessor technology, USB Flash connection, cloning (dosage adjustment) and "download statistics" option
- Capacitive Touch Keypad and anti–vandalism coin entry slot
- 8 tall 5 Lt canisters, 5 mixers, automatic cup and stirrer dispensers, enormous cup capacity (500 plastic and 360 paper cups)
- Programmable automatic wash feature.
- Professional Water Pump enabling proper water supply (up to 24 Hrs. withstand even if left out of water), NSF Certified PP Plastic Components and Silicon Pipes.

Product Code: 869755498273 Dimensions: 65 X 57 X 165 cms Net Weight: 110 Kgs



Mini-Icu®

The Mini–Icy®, powder based cold beverage dispenser is a must–have for workplaces and HoReCa (Hotels Restaurants and Cafes) businesses. Equipped with adjustable refrigeration settings and a mixer, the Mini–Icy® lets you serve your favourite beverage formula at your preferred serving temperature.

- 8 Cold-Drinks selection (4 single + 4 cocktail drinks)
- 4 X 1.8 Lt ingredient canisters
- Plug–Play Sliding Static Cooling Unit
- Stainless steel tank
- LED illuminated Advertisement Panel
- Optional Payment System compatible with parallel protocol
- Capacitive Touch Keypad
- 2 protection fuses

Product Code: 869755498276/01 Dimensions: 30 X 70 X 42 cms

Net Weight: 35 Kgs



Mini Black Espresso®

HoReCa businesses are developing rapidly nowadays, so we are well equipped to help our customers finding the right products for their businesses. The small 'footprint' of our table top range allows them to be placed almost anywhere, often on a kitchen area counter top. Effective espresso technology provides you unique tastes.

- 3 Product Canisters, 2 mixers
- 8 Different Hot Drinks Selection
- Consecutive service of 50 cups without heat loss
- Large LCD screen, Direct Selection
- 32 bit advanced electronic ARM processor technology
- Optional Payment System compatible with parallel protocol
- USB connection, cloning (dosage adjustment) and "download statistics" option
- CE certified

Product Code: 869755498279 /01 Dimensions: 40 X 42 X 80 cms Net Weight: 35 Kgs







Product Code: 869755498279 Dimensions: 40 X 42 X 70 cms Net Weight: 31 Kgs







Midi–Kafe[®] is the ideal commercial coffee vending machine for any office or workplace. Enjoy one of the various hot drinks from its menu, or use your own premix with Midi–Kafe[®] to get special drinks of your taste. Midi–Kafe[®] contains the following

- 32 bit high performance ARM microprocessor technology
- Supports MDB protocol, can be equipped with a Coin Selector, Tokens or Cashless System
- 6 tall 5 Lt canisters, 4 Mixers
- Offers 10 selections with 230 cup capacity Automatic Cup Dispenser
- Professional Water Pump enabling Proper Water Supply (up to 24 hrs withstand even if left out of water), NSF Certified PP Plastic Components and Silicon Pipes.
- Base stand (optional)

Product Code: 869755498272 Dimensions: 52 X 52 X 90 cms Net Weight: 55 Kgs

Base Code: 869755498298 Dimensions: 53X 53 X 78 cms Net Weight: 28 Kgs

Midi Buffet®

A next generation vending machine with innovative platform and engineering so as to providing maximum operating efficiency and flexibility. Excellent capacity for smaller locations with base stand or can be wall-mounted

- Perfect for selling unusually small items
- Supports MDB/Executive protocols for payment system,
- Cashless Payment Systems, Credit Card, Change Giver, Bill Validator and/or Coin Selector or combinations
- Easy selection pricing feature
- Easy-to-use LCD display
- BITE (Built–in Test Equipment) automatically fixing problems and/or Warning Messages on LCD
- IR product sensors to control delivery
- Secure alarm system to prevent vandalism or burglary
- Smart online telemetry system with full audit control sales, statistics, products, errors etc. is also supported

Product Code: 869755498224 Dimensions: 82 X 22 X 125 cms Net Weight: 50 Kgs

Base Code: 869755498299 Dimensions: 82 X 22 X 53 cms Net Weight: 8 Kgs



Midi Buffet®

Your Idea Our Innovation



PPE (personal protective equipment) Vending Machine Mobile Accessories Vending Machine Flat Shoe Vending Machine Electronic Box Vending Machine Condom / Pad Vending Machine Coin-operated Timer Machine Bread (Bakery) Vending Machine Money Changer and Card Recharging Machine Mini Changer Newspaper Vending Machine Supplement Protein Vending Machine Book Vending Machine Maxi Buffet with Touch Screen



Mobile Vending Shop






























Large Graphical LCD for Easy Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front for Selections and Programming 2x16 Character LCD on the Front For Selection 2x16 Character LCD on Selection 2x16 Cha		
Selections and Programming for Selections and Programming for Selections and Programming for Selections and	ock Espresso Supplement Vending	g Machine Mini Icy
selections 18 Selections 10 Selections 8 Selections 9 V	ter LCD on the front 2x16 Character LCD o s and Programming for Selections and Programming	
usb connection, cloning, download (dosage adjustment) illuminated ad space V V V V Coin Selector (MDB), Tokens or Cashless System giver, Bill Validator, Cashless Systems cup dispenser & capacity sugar dosage V V V Coin Selector (MDB), Tokens or Cashless System sugar dosage V V V Coin Selector (Parallel Protocol) Support, Coin selector, Change giver, Bill Validator, Cashless System Systems 230 paper cups	tt Selection Direct Selection	ion Direct Selection
Illuminated ad space	elections 9 Selections	8 Cold-Drinks selection (4 single + 4 cocktail drinks)
## Apply and Executive protocols Support, Coin selector, Change giver, Bill validator, Cashless systems ### Coin Selector (MDB), Tokens or Cashless System ### Coin Seletor (MDB), Tokens or Cashless System ### Coin Seletor (MDB), Tokens or Cashless System ### Coin Seletor (MDB) ### Coin Seletor (MDB), Tokens or Cashles System ### Coin Seletor (MDB) ### Coin Sel	√ √	-
Support, Coin selector, Change giver, Bill validator, Cashless systems cup dispenser & capacity stirrer dispenser sugar dosage cup sensor canisters canisters canisters instant product container mixers 5 Mixers 4,5 L Boiler Tank heating or cooling water supply cup confered with your order) water supply consumption Support, Coin selector, Change giver, Bill validator, Cashless systems Coin Selector (MDB), Tokens or Cashless System Coin Selector (Parallel Protocol) (Parallel Protocol) Coin Selector (Parallel Protocol) (Parallel Protocol) Coin Selector (Parallel Protocol) (Parallel Protocol) Coin Selector (Parallel Protocol) Fall Canisters (Cofee, Milk Powder, Chocolate, Fruit Tea, Sugar, Tea) 3 or 4 Canisters, (Coffee, Milk Powder, Chocolate, Fruit Tea, Sugar, Tea) 3 or 4 Canisters, (Coffee, Milk Powder, Chocolate, Fruit Tea, Sugar, Tea) 3 or 4 Canisters, (Coffee, Milk Powder, Chocolate, Fruit Tea, Sugar, Tea) 4 Coffee, Milk Powder, Chocolate, Fruit Tea, Sugar, Tea) 4 O	\checkmark	√
stirrer dispenser sugar dosage v v cup sensor 8 Tall Canisters 8 Tall Canisters (Coffee, Sugar, Tea, Milk Powder, Chocolate, Fruit Tea 1, Fruit Tea 2, Sahlep (Premix) instant product container v coffee bean container - mixers 5 Mixers 4,5 L Boiler Tank 1800 W Immersion Heater water supply telectricity supply / consumption dimensions 65 X 57X 165 CM 2 V - - - - - - - - - - - - -	n Selector Coin Selector (M Ilel Protocol) Tokens or Cashless !	**
sugar dosage cup sensor canisters Ratall Canisters (Coffee, Sugar, Tea, Milk Powder, Chocolate, Fruit Tea 1, Fruit Tea 2, Sahlep (Premix) instant product container coffee bean container mixers Sugar, Tea, Milk Powder, Chocolate, Fruit Tea 1, Fruit Tea 2, Sahlep (Premix) instant product container - coffee bean container - mixers Sugar, Tea, Milk Powder, Chocolate, Fruit Tea, Sugar, Tea) Alignment Tea, Sugar, Tea Alignment Tea, Sugar, Te	-	-
canisters S Tall Canisters (Coffee, Sugar, Tea, Milk Powder, Chocolate, Fruit Tea 1, Fruit Tea 2, Sahlep (Premix) instant product container coffee bean container mixers S Mixers A	-	-
anisters canisters canisters canisters canisters canisters canisters canisters canisters canisters concludes, Fruit Tea 1, Fruit Tea 2, Sahlep (Premix) instant product container √ coffee bean container - mixers 5 Mixers 4 Mixers 4 Mixers 2 Mixers or 3 Mixers 2 Mixers or 3 Mixers 2 Mixers or 3 Mixers 4,5 L Boiler Tank 1800 W Immersion Heater 1800 W Immersion Heater Tap Water or Water Tank (to be confirmed with your order) consumption 65 X 57X 165 CM 20 X 2 X 2 X 78 CM 40 X 42 X 70 CM	-	-
Sugar, Tea, Milk Powder, Chocolate, Fruit Tea 1, Fruit Tea 2, Sahlep (Premix) instant product container coffee bean container mixers 5 Mixers 4 Mixers 2 Mixers or 3 Mixers 4,5 L Boiler Tank 1800 W Immersion Heater Tap Water or Water Tank (to be confirmed with your order) water supply celectricity supply / consumption 65 X 57X 165 CM Sugar, Tea, Milk Powder, Chocolate, Fruit Tea, Sugar, Tea) 3 or 4 Canisters, (Coffee, Milk Powder, Tea, Chocolate) A or V A volution 4 Or V A volution A volution Tea, Chocolate) A volution Tea, Chocolate) A volution Tea, Chocolate) A volution Tea, Chocolate) A volution Tea, Chocolate, Fruit Tea, Sugar, Tea) A volution Tea, Sugar, Tea, Milk Powder, Chocolate, Fruit Tea, Sugar, Tea) A volution Tea, Chocolate, Fruit Tea, Sugar, Tea) A volution Tea, Chocolate, Milk Powder, Chocolate, Fruit Tea, Sugar, Tea) A volution Tea, Chocolate, Milk Powder, Chocolate, Fruit Tea, Sugar, Tea) A volution Tea, Chocolate, Milk Powder, Chocolate, Fruit Tea, Sugar, Tea) A volution Tea, Chocolate, Milk Powder, Tea, Chocolate, Te	-	-
coffee bean container mixers 5 Mixers 4 Mixers 2 Mixers or 3 Mixers 2 Mixers 1800 W Immersion Heater Tap Water or Water Tank (to be confirmed with your order) electricity supply / consumption dimensions	ters, (Coffee, 6 Canisters (Protein 1, Gainer, Fat burner, Bo	
mixers 5 Mixers 4 Mixers 2 Mixers or 3 Mixers 4,5 L Boiler Tank 1800 W Immersion Heater 1800 W Imme	\checkmark	V
heating or cooling 4,5 L Boiler Tank 1800 W Immersion Heater Tap Water or Water Tank (to be confirmed with your order) Place of the confirmed with your order) Tap Water or Water Tank (to be confirmed with your order) Place or Water Tank (to be confirmed with your order) Tap Water or Water Tank (to be confirmed with your order)	√ -	-
1800 W Immersion Heater 1800 W Immersion	Mixers 4 Mixers	1 Mixer
(to be confirmed with your order) (to be	Boiler Tank nmersion Heater	1.8 L internal cooling unit (with compressor)
/ consumption	er or Water Tank Tap Water or Wate ned with your order) (to be confirmed with y	
	0 Hz / ~ 1800 W 230 V = 50 Hz / ~ 7	- 100 W 230 V - 50 Hz / ~ 350 W
weight (kg) 110 55 31	42 X 80 CM 52 X 52 X 90 C	CM 30 X 70 X 42 CM
	35 55	35
base stand No need - Freestanding Equipment Optional (53 X 53 X 80 cm) Optional (40 X 50 X 80 cm) Optional (40 X 50 X 80 cm)	10 X 50 X 80 cm) Optional (53 X 53 X 8	80 cm) Optional (36 X 50 X 80 cm)




230 V - 50 Hz, 50 W -

Standby, 450 W -

Cooling in operation







Ø65 mm

Ø 65 mm ₹ 6 (Products) ₹ 79 mm

= 36 🛞 Ø 90 mm

Snacks and cold-drinks' combination vending machine

					Bottled Water (6) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6)
	Maxi Buffet	Cold Drinks Vending Machine	Bread and Bakery Vending	Midi Buffet	Bottled Water 6 6 6 6 6 6 = 54
achine Type	Spiral	Spiral	Spiral	Spiral	Bottled Water 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Shelves	6	6	6	10 (single spirals)	(an Beverage: 6) 66 0 60 60 60 60 60 60 60 60 60 60 60 6
Selections	54	54	26	10	Can Beverage: \bigcirc
					Bread (and bakery) vending machine

Selections	54	54	26	10	Can Beverages 6
Temperature Control	3°C	3 ₀ C	38 ⁰ C - 40 ⁰ C	5 – 6° C less than room temperature	Bread (an
Dimensions Weight	1800 X 960 X 790 mm 270 Kg	1800 X 960 X 790 mm 270 Kg	1800 X 960 X 790 mm 250 Kg	815 X 220 X 1250 mm 50 Kg	Muffin 7 Bagel 14 Sandwich 4
Cooling Module (optional)	√	√	-	√	Bread Bread
Payment System (optional)	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless Systems	Snack ven Biscuits Other snacks Biscuits Other snacks Giffer snacks T19 Giffer snacks			
Base Stand	-	-	-	√	Biscuits Other snacks Biscuits Other snacks Discussions Discussions

230 V - 50 Hz, 50 W -

Standby, 450 W -

Cooling in operation

	Snack vending machine				7 cm			1	4 cm					
Biscuits Other snacks	ds O				10					= 38		≥ 6 8 10 12 14 19 (Products)		
iscuits Other snacks	19	(14)	12	8	6	8	10	14	19	= 110	(3)	₹ 79 54 42 38 32 24 mm		
Biscuits Other snacks	19	(14)	12	8	6	8	10	14	19	= 110	(3)			
Riscuits Other snacks	19	<u>14</u>	12	8	6	8	10	14	(19)	= 110		₹ 100 87 64 49 32 24 mm (*) Ø 65 mm narrow spirals,		
Biscuits Other snacks	10	10	8	8	8	8	8	10	10	= 80	(3)	Ø 90 mm wide spirals for larger selection products.		
Riscuits Other snacks	6	6	6	6	6	6	6	6	6	= 54		g.: 121210011 productor		

Elektral reserves the right to make changes to the features, optionals, price and "general conditions of sales, delivery and warranty" without prior notice. The proprietary pictures, logos and mottos can not be used without prior written permission from Elektral A.S.

230 V - 50 Hz, 50 W -

Standby, 600 W -

Heating in operation

230 V - 50 Hz / 100 W

